

**KINGSTON CITY COUNCIL PUBLIC HEARING**  
**TUESDAY, JANUARY 11, 2022 – 5:45 P.M.**  
**KINGSTON CITY HALL**

The Kingston City Council held a Public Hearing on Tuesday, January 11, 2022 at 5:45 p.m. Mayor Neal called the Hearing to Order. City Council Members present include Council Member Tony Brown, Council Member Randy Childs (5:50pm), Vice-Mayor Becky Humphreys (5:53pm), Council Member Tara Stockton (5:48pm). Staff present: City Manager David Bolling (5:51pm), City Clerk Kelly Jackson and City Attorney Jack McPherson (5:55pm), Water Collection/Distribution Manager Kevin Hamilton (5:56pm). Others present include Roane Alliance Staff Scott Stout and BBB Communications staff Dudley Evans (5:55pm)

The hearing was for the purpose of Consideration of the second reading of Ordinance 21-12-14-01, an ordinance amending the Zoning Ordinance of the City of Kingston, Tennessee by establishing regulations for campgrounds, travel trailers and recreational vehicles within Kingston, TN

There were no citizens in attendance during the hearing. Mayor Neal made two announcements inquiring if anyone wished to address Council regarding the above-listed Ordinance. Mayor Neal adjourned the Public Hearing at 6:00 P.M. after seeing there was no one present that wished to address Council.

**REGULAR MEETING KINGSTON CITY COUNCIL**  
**TUESDAY, JANUARY 11, 2022 – 6:00 P.M.**  
**KINGSTON CITY HALL**

The Kingston City Council met in regular session on Tuesday, January 11, 2022 at 6:00 P.M. immediately following a Public Hearing at 5:45 P.M. Mayor Tim Neal called the meeting to order. Council Member Tony Brown gave the Invocation and Council Member Randy Childs led the pledge. Upon roll call the following members were present: Council Member Tony Brown, Council Member Randy Childs, Council Member Jeff Griffis, Vice-Mayor Becky Humphreys, Council Member Tara Stockton and Mayor Tim Neal. Staff present: City Manager David Bolling, City Clerk Kelly Jackson, Finance Director Michelle Kelley and City Attorney Jack McPherson. Council Member Stephanie Wright was absent

**APPROVAL OF PREVIOUS MINUTES**

A motion was made by Member Brown, second by Member Childs to waive the reading and approve as written the minutes of the regular meeting on December 14, 2021.

The motion passed with a unanimous roll call vote. Ayes.

**CITIZEN COMMENTS/PERSONS TO APPEAR/PROCLAMATIONS**

- Scott Stout (Roane Alliance) gave updates on upcoming events including the Legislative Meeting, Women in Business Luncheon, Tennessee Drug-Free Workplace Webinar, Riverline Summit and the Leadership Conference. Mr. Stout advised that the annual report is forthcoming.

#### **REPORTS-MAYOR AND COUNCIL-**

- **Member Brown**-Advised that the 911 Board went back to quarterly meetings. Challenged the Parks & Recreation Commission to discuss the following: Request TVA to dredge the sand bar in front of the City Park; develop a promotional commercial; plan to solicit the City at upcoming trade shows.
- **Member Stockton**-Beautification did not have a quorum at the last meeting but were able to discuss donations of flowers by Midway Schools, Control Box wraps and the construction of the Veterans wall
- **Member Childs**-Thanked the City of Oliver Springs for the use of their bucket truck
- **Vice-Mayor Humphreys**-The Parks & Recreation Commission changed their meeting date to the First Thursday of each month and the January Meeting was cancelled due to weather.

#### **REPORTS-CITY MANAGER'S REPORT**

- Requested Vice-Mayor Humphreys to obtain a recommendation from the Parks & Recreation Commission regarding TVA dredging the sand bar in front of the City Park and advised that he would reach out to TVA.
- TWRA advised they are waiting on the water to go back down before proceeding with construction on the Ladd Park boat ramp.
- The contract with Progression Electric for the radar traffic control will be executed once reviewed by the City Attorney.
- Rockwood Electric Utility is still working to fix the lights at the 352 exit.
- Advised of a meeting scheduled with DR Horton and Glen Cofer regarding the complaints received regarding the construction in Center Farms (Member Brown requested that parking and equipment in the roadway be addressed)
- Updated on the items recently surplussed.

#### **ADDITION OF ITEMS TO THE MEETING AGENDA RECEIVED AFTER CLOSE OF AGENDA DEADLINE (BY UNANIMOUS CONSENT OF ALL MEMBERS PRESENT. -NONE**

#### **UNFINISHED BUSINESS:**

- A. **Consideration of the second reading of Ordinance 21-12-14-01, an ordinance amending the Zoning Ordinance of the City of Kingston, Tennessee by establishing regulations for campgrounds, travel trailers and recreational vehicles with Kingston, TN.**

A motion was made by Member Brown, second by Member Stockton to approve the second reading of Ordinance 21-12-14-01, an ordinance amending the Zoning Ordinance of the City of Kingston, Tennessee by establishing regulations for campgrounds, travel trailers and recreational vehicles with Kingston, TN.

The motion passed with a unanimous roll call vote. 6 Ayes

#### **NEW BUSINESS –**

- A. **Consideration to approve the purchase of a 2022 Altec Model AT37G bucket truck in the amount of \$132,857, based on Sourcewell contract pricing and upon availability.**

A motion was made by Member Griffis, second by Member Childs to approve the purchase of a Ford 2022 Altec Model AT37G bucket truck in the amount not to exceed \$140,000, based on Sourcewell contract pricing and upon availability.

Further discussion ensued regarding the reasons for wanting the Ford instead of the Dodge and payment of the vehicle.

The motion passed with a unanimous roll call vote. 6 Ayes.

**B. Consideration to authorize the City manager to execute payment in the amount of \$375,000, based on HGAC contract pricing and upon availability, to Ferrara Fire Apparatus for a Freightliner Commercial Pumper.**

A motion was made by Member Stockton, second by Member Childs to authorize the City Manager to execute payment in the amount of \$375,000, based on HGAC contract pricing and upon availability, to Ferrara Fire Apparatus for a Freightliner Commercial Pumper.

The motion passed with a unanimous roll call vote. 6 Ayes.

**C. Consideration of appointments to fill two vacancies on the Board of Zoning Appeals.**

A motion was made by Member Brown, second by Member Childs to elect/appoint Levi Lankford to the Kingston Board of Zoning Appeals with a term expiring on 10/31/2022 and Rob Jago to the Kingston Board of Zoning Appeals with a term expiring on 10/31/2025.

The motion passed with a unanimous roll call vote. 6 Ayes

**D. Consideration to formally accept the Annual Comprehensive Financial Report for the year ended June 30, 2021.**


A motion was made by Member Brown, second by Member Stockton to formally accept the Annual Comprehensive Financial Report for the year ended June 30, 2021.

The motion passed with a unanimous roll call vote. 6 Ayes.

Mayor Neal adjourned the meeting at 6:34 pm

APPROVED 2-8-2022

  
\_\_\_\_\_  
Tim Neal, Mayor

ATTEST:  
  
\_\_\_\_\_  
City Clerk

## **ORDINANCE: 21-12-14-01**

### **AN ORDINANCE AMENDING THE “ZONING ORDINANCE OF THE CITY OF KINGSTON, TENNESSEE” BY ESTABLISHING REGULATIONS FOR CAMPGROUNDS, TRAVEL TRAILERS, AND RECREATIONAL VEHICLES WITHIN KINGSTON, TENNESSEE**

**WHEREAS**, the City Council of Kingston, Tennessee, in accordance with Section 13-7-105 of the Tennessee Code Annotated, may amend the zoning “Zoning Ordinance of Kingston, Tennessee”; and

**WHEREAS**, the Kingston Municipal Planning Commission has reviewed and made recommendations regarding the proposed amendment of the “Zoning Ordinance of the City of Kingston, Tennessee.”

**NOW, THEREFORE, BE IT RESOLVED** by the City Council of Kingston, Tennessee:

**Section 1.** Chapter 2, Section 11-203 is hereby amended by deleting definitions: Recreational Vehicle, Travel Trailer and Travel Trailer Park.

**Section 2.** Chapter 2, Section 204 is hereby amended by adding the following definitions:

Recreational Vehicle (RV) aka Travel Trailer, Camper. A trailer that is towed behind a motor vehicle or a vehicle that is driven and designed and constructed for temporary human occupancy. RVs typically have a built-in kitchen, restroom, sleeping area, and lounging area.

Recreational Vehicle (RV) Park aka Travel Trailer (TT) Park. A Recreational Vehicle Park is a tract of property containing two (2) or more RV sites and/or tent camping sites for lease.

**Section 3.** Chapter 6 is hereby amended by adding the following:

**11-615. Recreational Vehicle Parks.** The following regulations pertain to recreational vehicle parks, as defined in Chapter 2, Section 204.

1. **General Requirements.** The following standards shall apply to all proposed RV Parks:
  - a. **Minimum Size.** The minimum size tract for any RV Park is two (2) acres.
  - b. The maximum contracted length of a term of stay is twenty-nine (29) consecutive days. The maximum length that a tenant can stay on site is ninety (90) consecutive nights.

- c. **Site Plan Requirement.** A site plan is required in accordance with Chapter 6, Section 11-613. The site plan shall also include: The sizes and locations of all tent camping areas, all RV sites/pads, recreation areas, open space, and areas devoted to buffer zones.
- d. **Restroom/Shower Facilities.** Restroom/shower facilities are required for all RV parks.
- e. **RV Park Management.** Twenty-four hour on-site or phone access to an RV park manager is required.
- f. **Utilities.** The restroom/shower/clubhouse facilities and all RV sites shall be provided with water, sewer, and electric services. Utilities shall be provided by the RV Park and shall be underground. Dump stations may be allowed instead of public sewer for sites committed to short-term rental periods. As built plans shall be provided to the zoning office when all utilities are completed.
- g. **Fire Protection.** A minimum six (6) inch water line and fire hydrants shall be installed along drives so that all buildings and RVs are within five hundred (500) feet of a hydrant. Service lines may be smaller than six (6) inches in diameter.
- h. **Garbage Collection.** A garbage collection container to serve all RV Park occupants is required and must be emptied once each week.
- i. **Buffering.** A minimum twenty (20) feet wide natural or planted buffer is required along all side and rear property lines. The buffer shall consist of existing trees and other vegetation or planted cedar and/or other evergreen trees.
- j. **State License Compliance.** All RV Parks shall comply with licensing requirements of the State of Tennessee.
- k. **Drives.**
  - 1. Drives accessing an RV Park shall intersect with a city or county street.
  - 2. Drives within RV parks shall be constructed in accordance with the subdivision regulations except that:
    - a) Two-way drives within the RV Park shall be a minimum of twenty (20) feet wide.
    - b) One-way drives shall be a minimum of twelve (12) feet in width.

**l. Parking.**

- 1. Visitor parking spaces are to be separate from RV sites and may be provided at or near clubhouse and/or in the interior of the park.**
- 2. Parking shall be designed in accordance with Sections 11-309.**

**m. Tent camping is allowed in open space areas designated for that purpose.**

**n. On-Site Storage is not allowed.**

**o. Commercial activities by RV Park tenants are not allowed.**

**p. Commercial activities that cater to RV park tenants' immediate needs (low order goods) which are owned, operated, or leased by the RV Park owners are permitted provided they cumulatively are no more than five (5.0) percent of the total area. A site plan is required for any proposed permanent buildings and parking facilities.**

**2. RV Site Requirements.**

**a. RV sites shall be set back fifty (50) feet from outer property lines.**

**b. RV sites shall be sized to accommodate the type and size of the RV they will serve. No RV site shall be smaller than thirty-five (35) feet wide and sixty (60) feet deep.**

**c. Concrete, asphalt, or gravel RV pads, located within the RV site, shall be appropriately sized to accommodate RVs.**

**d. Permanent structures that are not a part of an approved site plan, including roofs, decks, steps, storage facilities, and similar structures, are not allowed on any RV site.**

**3. Administration. Permits and a Certificate of Occupancy are required in accordance with Chapter 7, Sections 11-701 – 11-706 of this zoning ordinance. A certificate of occupancy shall not be issued by the zoning official until all required improvements have been constructed and/or installed. A certificate of occupancy is required prior to the RV Park opening for business. A certificate of occupancy may be revoked for noncompliance of the zoning ordinance and/or building codes.**

**Section 4.** This ordinance shall become effective from and after its passage, the public welfare requiring it.

**Approved** by the Kingston Municipal Planning Commission: November 16, 2021.


**Passed on first reading:** 12-14-2021.

**Passed on second reading:** 1-11-2022.

**Public hearing held:** 1-11-2022.

**Date of Adoption** by Kingston City Council: January 11, 2022.

**Approved:**  **Mayor** **Date:** 1-11-22.

**Attest:**  **City Clerk** **Date:** 1-11-22.



Quoted for: City of Kingston

Customer Contact:

Phone: / Email:

Quoted by: Ashleigh Thompson

Phone: / Email:

Altec Account Manager: Brad Bass

**REFERENCE ALTEC MODEL**

REFERENCE ALTEC MODEL	Sourcewell Price
AT37G	Articulating Telescopic Aerial Device (Insulated)
	\$130,286

**(A.) SOURCEWELL OPTIONS ON CONTRACT (Unit)**

1	AT37G-HFO	H Frame Outriggers, Wooden Outrigger Pads, and Pad Holders	\$3,987
2	AT37G-AWD	All Wheel Drive	\$5,606
3			
4			

**(A1.) SOURCEWELL OPTIONS ON CONTRACT (General)**

1	SL	COMPARTMENT LIGHTS in Body Compartments - Strip LED (Per Compartment)	\$1,104
2	SPOT3	FOUR (4) POINT STROBE SYSTEM (LED)	\$701
3			
4			
5			
6			
7			
8			

**SOURCEWELL OPTIONS TOTAL:** \$141,684

**(B.) OPEN MARKET ITEMS (Customer Requested)**

1	UNIT		\$0
2	UNIT & HYDRAULIC ACC		\$0
3	BODY		\$0
4	BODY & CHASSIS ACC		\$0
5	ELECTRICAL		\$0
6	FINISHING		\$0
7	CHASSIS	Ford F550 4x4	
8	OTHER	Prior Model Year	-\$6,968

**OPEN MARKET OPTIONS TOTAL:** -\$9,274

**SUB-TOTAL FOR UNIT/BODY/CHASSIS:** \$132,410

**Delivery to Customer at \$2.20 / mile:** \$447

**TOTAL FOR UNIT/BODY/CHASSIS:** \$135,163

**(C.) ADDITIONAL ITEMS (items are not included in total above)**

1			
2			
3			
4			

**\*\*Pricing valid for 45 days\*\***

**NOTES**

**PAINT COLOR:** White to match chassis, unless otherwise specified

**WARRANTY:** Standard Altec Warranty for Aerials and Derricks - One (1) year parts warranty One (1) year labor warranty Ninety (90) days warranty for travel charges (Mobile Service) Limited Lifetime Structural Warranty. Chassis to include standard warranty, per the manufacturer.

**TO ORDER:** To order, please contact the Altec Account Manager listed above.

**CHASSIS:** Per Altec Commercial Standard

**DELIVERY:** Based on Stock Availability

**TERMS:** Net 30 days

**BEST VALUE:** Altec boasts the following "Best Value" features: Altec ISO Grip Controls for Extra Protection, Only Lifetime Warranty on Structural Components in Industry, Largest Service Network in Industry (Domestic and Overseas), Altec SENTRY Web/CD Based Training, Dedicated/Direct Gov't Sales Manager, In-Service Training with Every Order.

**TRADE-IN:** Please ask your Altec Account Manager for more information

**BUILD LOCATION:** Elizabethtown, KY





December 16, 2021  
Our 92nd Year

**Ship To:**  
CITY OF KINGSTON (TN)  
1501 JAMES FERRY RD  
KINGSTON, TN 37763  
US

**Bill To:**  
CITY OF KINGSTON (TN)  
1501 JAMES FERRY RD  
KINGSTON, TN 37763  
United States

Attn:  
Phone: 865-376-2114  
Email:

**Altec Quotation Number:** 1074958 - 1  
**Account Manager:** Brad Bass  
**Technical Sales Rep:** Samantha Ashleigh Thompson

<u>Item</u>	<u>Description</u>	<u>Qty</u>
	<u>Unit</u>	
1.	AT37G Unit Model	1
2.	ALTEC Model AT37G telescoping/articulating continuous rotation aerial device with an insulating articulating arm, insulating telescopic upper boom, and the patented ISO-Grip insulating system at the boom tip. Includes the following features: <ul style="list-style-type: none"><li>A. Ground to bottom of platform height: 37.8 feet</li><li>B. Working height: 42.8 feet</li><li>C. Maximum reach to edge of platform. Side Mounted Platform: 26.6 feet. End Mounted Platform: 28.3 feet (at 14.4 foot platform height).</li><li>D. Telescopic boom extension: 9 feet 8 inches</li><li>E. Continuous rotation</li><li>F. Insulating Aerial Device, ANSI Category C, 46kV and Below</li><li>G. Articulating Arm: Articulation is from -7 to 90 degrees. Insulator provides 12 inches of isolation.</li><li>H. Compensation System: By raising the articulating arm only, the telescopic boom maintains its relative angle in relation to the ground. The work position is achieved through a single function operation.</li><li>I. Telescoping upper boom: Articulation is from -25 to 75 degrees.</li><li>J. Master/ Slave Leveling: Platform automatically maintains level during boom articulation through a lifetime master/slave hydraulic leveling system that requires no major preventive maintenance.</li><li>K. The INSULATING UPPER CONTROL SYSTEM includes a single handle controller incorporating high electrical resistance components that is dielectrically tested to 40 kV AC with no more than 400 microamperes of leakage. The control handle is green in color to differentiate it from other non-tested controllers.</li><li>L. One set of tool outlets at the platform providing up to 5 gpm of flow for open center tools</li><li>M. Hydraulic System: Open center system operating at 5gpm and 2,400 psi.</li><li>N. Unit is painted with a powder coat paint process which provides a finish-painted</li></ul>	1

<u>Item</u>	<u>Description</u>	<u>Qty</u>
	surface that is highly resistant to chipping, scratching, abrasion and corrosion.	
O.	Structural Warranty all of the following applicable major components is to be warranted for so long as the initial purchaser owns the product: Booms, boom articulation links, hydraulic cylinder structures, outrigger weldments, pedestals, subbases and turntables.	
P.	Manuals: Two (2) operator and Maintenance/Parts manuals	
3.	Poly Hydraulic Reservoir, Pedestal Mounted, 7 Gallon (Includes Sight Gauge)	1
4.	Post style pedestal mounting	1
5.	Single, One (1) Man, Fiberglass Platform; End Mounted with 180 degree rotator. 24 x 30 x 42 inches, includes hydraulic tilt.	1
6.	Platform Capacity, 400LBS.	1
7.	Two (2) Platform Steps	1
8.	Soft nylon reinforced vinyl platform cover for a 24 x 30 inch platform	1
9.	Platform liner for a 24 x 30 x 42 inch platform	1
10.	Altec Patented ISO-Grip Insulating 4 Function, Proportional Speed, Upper Control Handle - with safety interlock and interlock guard. Forward/back operates upper boom in/out, tiller operates rotation CW/CCW, up/down operates lower boom up/down, and twist operates articulating arm up/down. Platform leveling is controlled with a separate interlocked control handle.	1
11.	Manual lowering valve located at the boomtip. For use in emergency situations to allow the operator to lower the boom to the ground	1
12.	Engine Start/Stop & Secondary Stowage System: 12 VDC powered motor and pump assembly for temporary operation of the unit in a situation wherein the primary hydraulic source fails. Electric motor is powered by the chassis battery. This feature allows the operator to completely stow the booms and platform. Secondary Stowage & Start/Stop is activated with an air plunger at the platform and switch at the lower control station.	1
13.	H Frame Outriggers with fixed shoe, provides 85.5 inch maximum spread to outer edge of shoes. Includes 8 x 10 inch shoes, control valves, motion alarms to sound during movement, and outrigger interlocks. Interlocks will not allow the unit to be operated until the outriggers have been deployed. Standard installation is directly behind the cab chassis.	1
14.	Hydraulic Outrigger Control Valves	1
15.	Powder coat unit Altec White.	1

**Unit & Hydraulic Acc.**We Wish To Thank You For Giving Us The Pleasure  
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>
16.	HVI-22 Hydraulic Oil (Standard).	9
17.	Standard Pump For PTO	1
18.	Hot shift PTO for automatic transmission	1

**Body**

19.	102 Inch Universal Small Aerial Body for a 60 Inch CA Chassis with 38 Inch Long Side Access Tailshelf to Meet the Following Specifications:	1
	<ul style="list-style-type: none"><li>A. Basic body fabricated from A40 grade 100% zinc alloy coated steel</li><li>B. All doors are full, double paneled, self-sealed with built-in drainage.</li><li>C. Stainless steel hinge rods extend full length of door.</li><li>D. Door hinges are zinc alloy material attached with rivets</li><li>E. All doors contain stainless steel, flush mounted, paddle activated rotary style latches with two-stage locking, including keyed locks and adjustable strikers.</li><li>F. Heavy-gauge welded steel frame construction with smooth galvanneal floor.</li><li>G. Possible contact edges are folded for safety.</li><li>H. Door header drip rail at top for maximum weather protection.</li><li>I. Neoprene or rolled fenders on wheel fender panels.</li><li>J. Steel treated for improved primer bond and rust resistance.</li><li>K. Automotive underseal applied to body.</li><li>L. Automotive type non-porous door seals fastened to the door facing.</li><li>M. 102 Inch Body Length</li><li>N. 40 Inch Body Height (Standard)</li><li>O. 94 Inch Body Width (Standard)</li><li>P. 20 Inch Body Compartment Depth (Standard)</li><li>Q. Finish paint body Altec White at body manufacturer.</li><li>R. 8 Inch Body crossmembers (Standard)</li><li>S. No Treadplate On Compartment Tops</li><li>T. 6 Inch tall wooden tailboard installed at the rear of body cargo area</li><li>U. Stainless Steel Rotary Paddle Latch With Lock (Standard)</li><li>V. Master Body Locking System (Standard)</li><li>W. One (1) Double-Capacity Chock Holder On Curbside Of Body</li><li>X. Gas Shock Type Rigid Door Holders For Vertical Doors (Standard)</li><li>Y. Chains On Horizontal Doors</li><li>Z. Hotstick shelf extending full length of body on Curbside.</li><li>AA. Drop-Down Hot Stick Door For One (1) Shelf (Right Side)</li><li>AB. Two (2) Hot Stick Brackets</li><li>AC. 1st Vertical Streetside (LH) - Two (2) Adjustable Shelves With Removable Dividers On 4 Inch Centers</li><li>AD. 1st Horizontal Streetside (LH) - One (1) Fixed Shelf With Removable Dividers On 8 Inch Centers</li></ul>	

We Wish To Thank You For Giving Us The Pleasure  
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>
AE.	Rear Vertical Streetside (LH) - Four (4) Adjustable Locking Swivel Hooks	
AF.	1st Vertical Curbside (RH) - Five (5) Adjustable Locking Swivel Hooks	
AG.	1st Horizontal Curbside (RH) - Vacant	
AH.	Rear Vertical Curbside (RH) - Two (2) Adjustable Shelves With Removable Dividers On 4 Inch Centers	
AI.	One (1) Small Bolt-On Grab Handle Installed At Rear Of Curbside Compartments	
AJ.	38 Inch Tailshelf with Integrated Side Access Steps and Smooth Galvaneal Floor Installed at Rear of Body. Includes One (1) U-Shaped Grab Handle.	

**Body and Chassis Accessories**

20.	ICC Underride Protection	1
21.	Combination 2 Inch Ball (10,000 LB MGTW) And Pintle Hitch (16,000 LB MGTW)	1
22.	Set Of Eye Bolts for Trailer Safety Chain, installed one each side of towing device mount.	1
23.	Platform Rest, Rigid with Rubber Tube	1
24.	Platform to be side stowed	1
25.	Boom Rest for a Telescopic Unit	1
26.	Wood Outrigger Pad, 19" x 19" x 2.5", With Rope Handle	2
27.	Outrigger Pad Holder, 20" L x 20" W x 5" H, Fits 19.5" x 19.5" x 4" And Smaller Pads, Bolt-On, Bottom Washout Holes, 3/4" Lip Retainer	2
28.	Mud Flaps With Altec Logo (Pair)	1
29.	Wheel Chocks, Rubber, 9.75" L x 7.75" W x 5.00" H, with 4" L Metal Hairpin Style Handle (Pair)	1
30.	Slope Indicator Assembly (Pair) For Machine With Outriggers	1
31.	Safety Harness And 4.5' Lanyard (Fits Medium To Xlarge) Includes Pouch and Placards	1
32.	5 LB Fire Extinguisher With Light Duty Bracket, Installed (In Cab or Inside Compartment Only)	1
33.	Triangular Reflector Kit, Shipped Loose	1
34.	Vinyl manual pouch for storage of all operator and parts manuals	1
35.	Rock Guards, Lexan, Installed Each Front Corner Of Body	1

We Wish To Thank You For Giving Us The Pleasure  
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>
<b><u>Electrical Accessories</u></b>		
36.	Lights and reflectors in accordance with FMVSS #108 lighting package. (Complete LED, including LED reverse lights)	1
37.	Altec Standard Amber LED Strobe Light With Brush Guard Post Mounted On Streetside Front Compartment Top	1
38.	Dual Tone Back-Up With Outrigger Motion Alarm	1
39.	6-Way Trailer Receptacle (Pin Type) Installed At Rear	1
40.	Dodge Upfitter Switches (Supplied with Chassis)	1
41.	Power Distribution Module (PDM-6) is a compact self-contained electronic system that provides a standardized interface with the chassis electrical system. (Includes Operator's Manual)	1
42.	Install Outrigger Interlock System	1
43.	Install secondary stowage system.	1
44.	PTO Indicator Light Installed In Cab	1
<b><u>Finishing Details</u></b>		
45.	Powder Coat Unit Altec White	1
46.	Finish Paint Body Accessories Above Body Floor Altec White	1
47.	Altec Standard; Components mounted below frame rail shall be coated black by Altec. i.e. step bumpers, steps, frame extension, pintle hook mount, dock bumper mounts, D-rings, receiver tubes, accessory mounts, light brackets, under-ride protection, etc. Components mounted to under side of body shall be coated black by Altec. i.e. Wheel chock holders, mud flap brackets, pad carriers, boxes, lighting brackets, steps, and ladders.	1
48.	Apply Non-Skid Coating to all walking surfaces	1
49.	English Safety And Instructional Decals	1
50.	Vehicle Height Placard - Installed In Cab	1
51.	Placard, HVI-22 Hydraulic Oil	1
52.	Dielectric test unit according to ANSI requirements.	1

We Wish To Thank You For Giving Us The Pleasure  
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>
53.	Stability test unit according to ANSI requirements.	1
54.	Focus Factory Build	1
55.	Delivery Of Completed Unit	1
56.	Inbound Freight	1
57.	As Built Electrical And Hydraulic Schematics To Be Included In The Manual Pouch	1
58.	Stock Unit	1

Chassis

59.	Altec Supplied Chassis	1
60.	Altec Supplied Chassis	1
A.	2022 Model Year	
B.	Ford F550	
C.	Chassis Color - White	
D.	Class V (16,001-19,500 LBS)	
E.	Regular Cab	
F.	4x4	
G.	60 Clear CA (Round To Next Whole Number)	
H.	144.5 Wheelbase	
I.	19,500 LBS GVWR	
J.	7,000 LBS Front Axle Rating	
K.	13,500 LBS Rear Axle Rating	
L.	Power Stroke diesel	

<u>Item</u>	<u>Description</u>	<u>Qty</u>
<b><u>Additional Pricing</u></b>		
61.	Stock Unit Price to Include: <ul style="list-style-type: none"><li>• Compartment Lighting</li><li>• 4 Corner Strobe System</li><li>• Delivery</li></ul>	\$135,163

Standard Altec Warranty: One (1) year parts warranty, one (1) year labor warranty, ninety (90) days warranty for travel charges, limited lifetime structural warranty

Altec Industries, Inc.

BY \_\_\_\_\_

Samantha Ashleigh Thompson

**Notes:**

- 1 Chassis pricing should be considered budgetary only and is subject to change when specific model year pricing becomes available from the OEM. Additionally, the chassis model year is subject to change based on availability at time of order.
- 2 Altec takes pride in offering solutions that provide a safer work environment for our customers. In an effort to focus on safety, we would encourage you to consider the following items:
  - Outrigger pads (When Applicable)
  - Fall Protection System
  - Fire extinguisher/DOT kit
  - Platform Liner (When Applicable)
  - Altec Sentry Training
  - Wheel Chocks

The aforementioned equipment can be offered in our new equipment quotations. If you find that any of these items have not been listed as priced options with an item number in the body of your quotation and are required by your company, we would encourage you to contact your Altec Account Manager and have an updated quote version sent to you. These options must be listed with an item number in the quotation for them to be supplied by Altec.

We Wish To Thank You For Giving Us The Pleasure  
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929



3 The final fully loaded weight of the truck and structural ratings of the hitch assembly may reduce the towing capacity and the vertical load capacity of the finished truck. These capacities may not match the ratings of the chassis or hitch.

4 Altec Extended Warranty Option:

An Altec Extended Warranty is an extension of Altec's Limited Warranty and protects you from the repair cost associated with defects of materials and workmanship after the standard Limited Warranty expires.

Altec offers many types of coverages and coverage packages. Ask your Altec account manager for details. Quotes are available upon request.

5 Unless otherwise noted, all measurements used in this quote are based on a 40 inch (1016mm) chassis frame height and standard cab height for standard configurations.

6 Altec Standard Warranty:

One (1) year parts warranty.

One (1) year labor warranty.

Ninety (90) days warranty for travel charges.

Warranty on structural integrity of the following major components is to be warranted for so long as the initial purchaser owns the product: Booms, boom articulation links, hydraulic cylinder structures, outrigger weldments, pedestals, subbases and turntables.

Altec is to supply a self-directed, computer based training (CBT) program. This program will provide basic instruction in the safe operation of this aerial device. This program will also include and explain ANSI and OSHA requirements related to the proper use and operation of this unit.

Altec offers its standard limited warranty with the Altec supplied components which make up the Altec Unit and its installation, but expressly disclaims any and all warranties, liabilities, and responsibilities, including any implied warranties of fitness for a particular purpose and merchantability, for any customer supplied parts

Altec designs and manufactures to applicable Federal Motor Vehicle Safety and DOT standards

7 F.O.B. - Customer Site

8 Altec values your data privacy. The Altec Family of Companies (including Altec, Inc., and its subsidiaries) may collect telematics data from the equipment you own. Please review Altec's Equipment Data Privacy Notice on [www.altec.com](http://www.altec.com) for more information. By purchasing equipment from Altec, you consent to Altec's right to collect and use such data.

9 Changes made to this order may affect whether or not this vehicle is subject to F.E.T. A review will be made at the time of invoicing and any applicable F.E.T. will be added to the invoice amount.

10 Price does not reflect any local, state or Federal Excise Taxes (F.E.T). The quote also does not reflect any local title or licensing fees. All appropriate taxes will be added to the final price in accordance with regulations in effect at time of invoicing.

11 Interest charge of 1/2% per month to be added for late payment.

12 Any payment made by a credit card may be subject to a surcharge fee.

- 13      Estimated Delivery: Based on stock availability days after receipt of order PROVIDING:  
A. Customer supplied chassis is received a minimum of sixty (60) days before scheduled delivery.  
B. Customer approval drawings are returned by requested date.  
C. Customer supplied accessories are received by date necessary for compliance with scheduled delivery.  
D. Customer expectations are accurately captured prior to major components being ordered (body, chassis) and line set date. Unexpected additions or changes made after this time or at a customer inspection will delay the delivery of the vehicle.
- Estimated Delivery is based on information at time of quote and is subject to change.
- Altec reserves the right to change suppliers in order to meet customer delivery requirements, unless specifically identified, by the customer, during the quote and or ordering process.
- 14      Trade-in offer is conditional upon equipment being maintained to DOT (Department of Transportation) operating and safety standards and remaining in compliance of DOT until arrival at an Altec Facility. This will include, but is not limited to engine, tires, lights, brakes, glass, etc. All equipment, i.e., jibs, winches, pintle hooks, trailer connectors, etc., are to remain with unit unless otherwise agreed upon in writing by both parties. ALTEC Industries reserves the right to re-negotiate its trade-in offer if these conditions are not met.
- All reasonable and necessary expenses required of ALTEC Industries to execute transportation of the trade-in will be invoiced to the customer for payment if these conditions are not met to maintain DOT standards.
- Customer may exercise the option to rescind this agreement in writing within sixty (60) days after receipt of purchase order. After that time ALTEC Industries will expect receipt of trade-in vehicle upon delivery of new equipment as part of the terms of the purchase order unless other arrangements have been made.
- 15      This quotation is valid until #EXPIRE\_DATE#. After this date, please contact Altec Industries, Inc. for a possible extension.
- 16      After the initial warranty period, Altec Industries, Inc. offers mobile service units, in-shop service and same day parts shipments on most parts from service locations nationwide at an additional competitive labor and parts rate. Call 877-GO-ALTEC for all of your Parts and Service needs.
- 17      FINANCING AVAILABLE: Please contact Altec Capital at (888) 408-8148 or email [finance@altec.com](mailto:finance@altec.com) for more information.
- 18      Please direct all questions to Brad Bass at